

Harlington 4300 Garden Gazebo


Approx. Dim.
429L x 429W x 298H cm / 168.9"L x 168.9"W x 117.3"H



Wind Resistant
90 km/hr
55 mi/hr



Snow Load
50 kg/m²
10.2 lbs/ft²



the
canopyshop

T: 0345 241 7182
E: sales@thecanopyshop.co.uk
W: www.thecanopyshop.co.uk



IMPORTANT

Please read these instructions carefully before you start to assemble this product. Please carry out the steps in the order set out in these instructions. Keep these instructions in a safe place for future reference.

» Care and Safety Advice

- Please follow the instructions as listed in this manual.
- Sort the parts and check against the contents list.
- For safety purposes we strongly recommend the product to be assembled by at least two people.
- Some parts have metal edges. Please be careful when handling components. Always wear gloves, shoes and safety goggles during assembly.
- Do not attempt to assemble the Gazebo in windy or wet conditions.
- Dispose of all plastic bags safely – keep them away from children's reach.
- Keep children away from the assembly area.
- Do not attempt to assemble the Gazebo if you are tired, have taken drugs, medications or alcohol, or if you are prone to dizzy spells.
- When using a stepladder or power tools, make sure that you are following the manufacturer's safety advice.
- Do not climb or stand on the roof.
- Heavy articles should not be leaned against the poles.
- Keep roof and gutters clear of snow, dirt & leaves.
- Heavy snow load on roof can damage the Gazebo making it unsafe to stand below or nearby.
- This product was designed to be used mainly as a Gazebo.

If color was scratched during assembly it can be fixed with the following tints:
Grey – RAL 7012

» Cleaning instructions

In order to clean the Gazebo, use a mild detergent solution and rinse with cold clean water.

Do not use acetone, abrasive cleaners, or other special detergents to clean the panels.

» Tools & Equipment



T001 (Supplied)



Attention

- Please note you install the panels with the UV protected side out (marked with "THIS SIDE OUT") and peel the film strip covering the panels.
- Screws and plugs are not supplied.
- Please tighten all screws when completing assembly.
- Anchoring this product to the ground is essential to its stability and rigidity. It is required to complete this stage in order for your warranty to be valid.



» During Assembly

During assembly use a soft surface below the parts to avoid scratches and damages.



When encountering the information icon, please refer to the relevant assembly step for additional comments and assistance.

Step 8:

- Carefully spread silicone glue along the cross-section of the profile and at once attach the profiles together. Recommended to wipe the extra residue silicone.

Steps 9-15:

- It is recommended to use a carton or other soft material under the lowered corner in order to avoid scratches and peeling of paint.

Step 13:

- Optional - if you wish to add Palram's curtains/netting - Please thread 24 of the plastic clips through the rail in each of the four profiles in order to hang the curtains/netting (not supplied).

Steps 14+16: Drawing a

- Please note that threading of the screws should be done from the outside, and nuts threaded from the inside.

Steps 15+17:

- Please note that threading of the screws should be made from the bottom up.

Step 18:

- Please add silicone on the inner area of part # 8327 as illustrated



Step 25a:

- Please drill holes in the panels to be located precisely parallel to the holes in profiles #7744 + #7743



Step 26:

- Please level the profiles' legs and adapt screws and plugs to your specific ground type.





















Pavement Stone
































Asphalt / Soil









Contents

Item		Qty.	Item		Qty.	Item		Qty.
8040		4	7750		4	7677		4
8041		4						
8524		4	7751		4	7678		4
8523		4	7673		2	8526		4
7664		4	7672		2	8527		4
8546		4	7670		4	8528		4
8525		8	7669		4	8529		4
7867		8						

Contents

Item		Qty.	Item		Qty.	Item		Qty.	Item		Qty.
8331		1	4000		16 (+1)	8192		48 (+5)	7829		96 (+4)
8327		4	4010		16 (+1)	466		49 (+5)	Option		
8545		4	5000		104 (+10)	421		48 (+5)			
			5001		48 (+6)	7682		1			
			7680	 M8x40mm / 1.5"	17 (+1)	447		16 (+2)			
			7119	 M8x55mm / 2.1"	16 (+1)	433		10 (+1)			
212		8	7679	 M8x70mm / 2.7"	8	426		105 (+11)			
7674		1	7567	 M8x80mm / 3.15"	8	4024		1			
7671		4	T001		1	427		48 (+5)			
						7024		48 (+5)			
						413		1	8293		1
						7121		49 (+5)			

1



7682 1



466 1



426 1



7680 1






7121 1




433 2




7674 1







a



b





7680 4





433 8

466 4


7121 4

8192 4

7671 4



8545



..... 4

8192




..... 12

466









..... 12







(a)





(b)









SILICON
CAULK


a



b




c






9




i






7119  8

7121  8



426  16












4024  1 413  1 8331  1



466 8 8192 8




7664		4	7121		8	212		8
8192		8	426		16	7567		8




7829  96 (+4)




a







b





- 7679 4 7121 4 426 8







466  4







- 7679  4
- 7121  4
- 426  8







466  4












7677  4	8526  4	8528  4	8293  1
7678  4	8527  4	8529  4	


























427  48

421  48

7024  48



4000 16






4010 16




426 16




5000 32






a



b



5000  72 5001  12



5001  36

